

| POPULATION ESTIMATES | | | | LONG-TERM CARE | | | LOCAL HEALTH DEPARTMENTS | | |
|---------------------------------------|--|--|--|---|-------|-------------|---------------------------|--|--|
| Total 2001 Population 20,380 | | | | Community Options and MA Waiver Programs | | | Per 10,000 Population | | |
| Population per square mile 59 | | | | | | | Staffing - FTE | | |
| County ranking in state (1-72) 29 | | | | | | | Number | | |
| | | | | Clients | Costs | | | | |
| Age Female Male Total | | | | COP | 82 | \$198,136 | Total staff 5 | | |
| 0-14 2,030 2,200 4,230 | | | | MA Waiver * | | | Administrative 1 | | |
| 15-19 770 810 1,580 | | | | CIP1A | 7 | \$453,585 | Professional staff 4 | | |
| 20-24 490 580 1,080 | | | | CIP1B | 35 | \$851,612 | Technical/Paraprof. 0 | | |
| 25-29 560 560 1,110 | | | | CIP2 | 4 | \$41,384 | Support staff . | | |
| 30-34 650 690 1,350 | | | | COP-W | 160 | \$528,699 | Funding | | |
| 35-39 830 820 1,650 | | | | CSLA | . | \$0 | Total \$267,585 | | |
| 40-44 770 860 1,630 | | | | Brain Injury | 1 | \$48,443 | Local Taxes \$156,213 | | |
| 45-54 1,350 1,440 2,800 | | | | Total COP/Wvrs | 227 | \$2,121,860 | Per capita \$13.17 | | |
| 55-64 920 930 1,840 | | | | \$56,761 of the above waiver costs | | | LICENSED ESTABLISHMENTS | | |
| 65-74 750 700 1,440 | | | | were paid as local match/overmatch | | | Type Capacity Facilities | | |
| 75-84 710 490 1,200 | | | | using COP funds. This amount is | | | Bed & Breakfast 30 7 | | |
| 85+ 330 140 470 | | | | not included in above COP costs. | | | Camps 663 14 | | |
| Total 10,160 10,220 20,380 | | | | * Waiver costs reported here | | | Hotels, Motels 267 14 | | |
| | | | | include federal funding. | | | Tourist Rooming 20 7 | | |
| Age Female Male Total | | | | Clients | Costs | | Pools 6 | | |
| 0-17 2,550 2,710 5,260 | | | | Eligible and | | | Restaurants 37 | | |
| 18-44 3,550 3,810 7,370 | | | | Waiting | 22 | n/a | Vending 0 | | |
| 45-64 2,270 2,370 4,640 | | | | (Family Care not provided in county) | | | WIC PARTICIPANTS | | |
| 65+ 1,790 1,330 3,110 | | | | | | | Number | | |
| Total 10,160 10,220 20,380 | | | | | | | Pregnant/Postpartum 127 | | |
| Poverty Estimates for 2000 | | | | Note: Eligible and waiting clients | | | Infants 128 | | |
| Estimate (C.I.+/-) | | | | will be phased into the COP and MA | | | Children, age 1-4 181 | | |
| All ages 1,180 100 | | | | Waivers as available. | | | Total 436 | | |
| 5.8% (8%) | | | | | | | CANCER INCIDENCE | | |
| Ages 0-17 311 46 | | | | | | | 1999 | | |
| 6.0% (15%) | | | | | | | Number | | |
| ----- EMPLOYMENT ----- | | | | | | | Primary Site | | |
| Average wage for jobs covered | | | | Home Health Agencies | | | Breast 25 | | |
| by unemployment compensation \$25,501 | | | | Patients | | | Cervical 1 | | |
| Note: based on place of work | | | | Patients per 10,000 pop. | | | Colorectal 15 | | |
| Annual | | | | | | | Trachea, Bronchus, Lung 9 | | |
| Labor Force Estimates Average | | | | Nursing Homes 2 | | | Prostate 24 | | |
| Civilian Labor Force 10,881 | | | | Licensed beds 148 | | | Other sites 48 | | |
| Number employed 10,425 | | | | Occupancy rate 73.8% | | | Total 122 | | |
| Number unemployed 456 | | | | Residents on Dec.31 103 | | | | | |
| Unemployment rate 4.2% | | | | Residents age 65 or older per 1,000 population 33 | | | | | |

NATALITY

| NATALITY | | | | | | | | | | | | |
|--|--|--|--------|----------------------------------|---|---------------|---------|--------------------------|--------------------|---------------|---------|---------|
| TOTAL LIVE BIRTHS | | | 243 | Birth Order | | Births | Percent | Marital Status of Mother | | | | |
| Crude Live Birth Rate | | | 11.9 | First | | 96 | 40 | Married | | Births | Percent | |
| General Fertility Rate | | | 59.6 | Second | | 87 | 36 | Married | | 198 | 81 | |
| | | | | Third | | 38 | 16 | Not married | | 45 | 19 | |
| | | | | Fourth or higher | | 22 | 9 | Unknown | | 0 | 0 | |
| Live births with reported congenital anomalies | | | 0 | 0.0% | Unknown | | 0 | 0 | | | | |
| | | | | First Prenatal Visit | | Births | Percent | Education of Mother | | | | |
| Delivery Type | | | Births | Percent | | | | | Elementary or less | | Births | Percent |
| Vaginal after previous cesarean | | | 6 | 2 | 1st trimester | | 228 | 94 | Some high school | | 4 | 2 |
| Forceps | | | 7 | 3 | 2nd trimester | | 13 | 5 | High school | | 14 | 6 |
| Other vaginal | | | 199 | 82 | 3rd trimester | | 2 | 1 | Some college | | 82 | 34 |
| Primary cesarean | | | 20 | 8 | No visits | | 0 | 0 | College graduate | | 91 | 37 |
| Repeat cesarean | | | 11 | 5 | Unknown | | 0 | 0 | Unknown | | 52 | 21 |
| Other or unknown | | | 0 | 0 | | | | | | | 0 | 0 |
| | | | | Number of Prenatal Care visits | | Births | Percent | Smoking Status of Mother | | | | |
| Birthweight | | | Births | Percent | | | | | Smoker | | Births | Percent |
| <1,500 gm | | | 0 | 0.0 | No visits | | 0 | 0 | Nonsmoker | | 31 | 13 |
| 1,500-2,499 gm | | | 11 | 4.5 | 1-4 | | 2 | 1 | Unknown | | 212 | 87 |
| 2,500+ gm | | | 232 | 95.5 | 5-9 | | 31 | 13 | | | 0 | 0 |
| Unknown | | | 0 | 0 | 10-12 | | 102 | 42 | | | | |
| | | | | | 13+ | | 108 | 44 | | | | |
| | | | | | Unknown | | 0 | 0 | | | | |
| | | | | | | | | | | | | |
| | | | | Low Birthweight (under 2,500 gm) | | 1st Trimester | | 2nd Trimester | | Other/Unknown | | |
| Race of Mother | | | Births | Percent | Births | Percent | Births | Percent | Births | Percent | Births | Percent |
| White | | | 239 | 98 | 11 | 4.6 | 224 | 94 | 13 | 5 | 2 | 1 |
| Black | | | 0 | 0 | . | . | . | . | . | . | . | . |
| Other | | | 4 | 2 | * | . | * | . | * | . | * | . |
| Unknown | | | 0 | 0 | . | . | . | . | . | . | . | . |
| | | | | | | | | | | | | |
| | | | | Low Birthweight (under 2,500 gm) | | 1st Trimester | | 2nd Trimester | | Other/Unknown | | |
| Age of Mother | | | Births | Fertility Rate | Births | Percent | Births | Percent | Births | Percent | Births | Percent |
| <15 | | | 0 | -- | . | . | . | . | . | . | . | . |
| 15-17 | | | 6 | 11 | . | . | 6 | 100 | . | . | . | . |
| 18-19 | | | 7 | 28 | . | . | 6 | 86 | 1 | 14 | . | . |
| 20-24 | | | 56 | 113 | 4 | 7.1 | 51 | 91 | 4 | 7 | 1 | 2 |
| 25-29 | | | 74 | 133 | 3 | 4.1 | 71 | 96 | 3 | 4 | . | . |
| 30-34 | | | 72 | 110 | 3 | 4.2 | 69 | 96 | 3 | 4 | . | . |
| 35-39 | | | 24 | 29 | 1 | 4.2 | 22 | 92 | 1 | 4 | 1 | 4 |
| 40+ | | | 4 | 5 | * | . | * | . | * | . | * | . |
| Unknown | | | 0 | -- | . | . | . | . | . | . | . | . |
| Teenage Births | | | 13 | 17 | * Not reported: age or race category has less than 5 births | | | | | | | |

MORTALITY

| | | | | | |
|---|--------|---|--------|--------|---|
| REPORTED* CASES OF SELECTED DISEASES | | Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths. | | | |
| Disease | Number | TOTAL DEATHS | | 203 | Selected |
| Campylobacter Enteritis | <5 | Crude Death Rate | | 995 | Underlying Cause |
| Giardiasis | 5 | | | | Deaths |
| Hepatitis Type A | <5 | | | | Rate |
| Hepatitis Type B** | 0 | Age | Deaths | Rate | Heart Disease (total) |
| Hepatitis NANB/C | <5 | 1-4 | . | . | 71 |
| Legionnaire's | 0 | 5-14 | . | . | 348 |
| Lyme | 0 | 15-19 | 2 | . | Ischemic heart disease |
| Measles | 0 | 20-34 | 2 | . | 31 |
| Meningitis, Aseptic | 0 | 35-54 | 13 | . | 152 |
| Meningitis, Bacterial | 0 | 55-64 | 11 | . | Cancer (total) |
| Mumps | 0 | 65-74 | 29 | 2,010 | 45 |
| Pertussis | 0 | 75-84 | 68 | 5,690 | 220 |
| Salmonellosis | <5 | 85+ | 77 | 16,440 | Trachea/Bronchus/Lung |
| Shigellosis | 0 | | | | 10 |
| Tuberculosis | 0 | | | | Colorectal |
| | | | | | 3 |
| | | | | | Female Breast |
| | | | | | 1 |
| | | | | | .* |
| | | | | | Cerebrovascular Disease |
| | | | | | 13 |
| | | | | | Lower Resp. Disease |
| | | | | | 12 |
| | | | | | Pneumonia & Influenza |
| | | | | | 7 |
| | | | | | Accidents |
| | | | | | 9 |
| | | | | | Motor vehicle |
| | | | | | 5 |
| | | | | | Diabetes |
| | | | | | 5 |
| | | | | | Infectious & Parasitic |
| | | | | | 1 |
| | | | | | Suicide |
| | | | | | 1 |
| | | | | | . |
| * 2001 provisional data | | Infant | | | |
| ** Includes all positive HBsAg test results | | Mortality | Deaths | Rate | * Rate for female breast cancer based on female population. |
| | | Total Infant | 1 | . | |
| | | Neonatal | 1 | . | |
| | | Postneonatal | . | . | |
| | | Unknown | . | . | ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH |
| Sexually Transmitted Disease | | | | | |
| Chlamydia Trachomatis | 9 | Race of Mother | | | Alcohol |
| Genital Herpes | <5 | White | 1 | . | 3 |
| Gonorrhea | <5 | Black | . | . | Other Drugs |
| Syphilis | 0 | Other | . | . | . |
| | | Unknown | . | . | Both Mentioned |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | | | | | . |
| | </ | | | | |

HOSPITALIZATIONS

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita | DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita |
|--|--------|---------------|---------------------|----------------|-------------------|---|--------|---------------|---------------------|----------------|-------------------|
| Injury-Related: All | | | | | | Alcohol-Related | | | | | |
| Total | 213 | 10.4 | 5.5 | \$17,179 | \$179 | Total | 33 | 1.6 | 3.1 | \$5,229 | \$8 |
| <18 | 36 | 6.8 | 4.4 | \$17,254 | \$118 | 18-44 | 18 | . | . | . | . |
| 18-44 | 57 | 7.7 | 6.1 | \$20,795 | \$161 | 45-64 | 13 | . | . | . | . |
| 45-64 | 33 | 7.1 | 6.9 | \$20,214 | \$144 | Pneumonia and Influenza | | | | | |
| 65+ | 87 | 28.0 | 5.0 | \$13,627 | \$382 | Total | 41 | 2.0 | 4.9 | \$10,600 | \$21 |
| Injury: Hip Fracture | | | | | | <18 | 3 | . | . | . | . |
| Total | 21 | 1.0 | 6.7 | \$16,443 | \$17 | 45-64 | 6 | . | . | . | . |
| 65+ | 20 | 6.4 | 6.4 | \$15,498 | \$100 | 65+ | 29 | 9.3 | 4.1 | \$6,786 | \$63 |
| Injury: Poisonings | | | | | | Cerebrovascular Disease | | | | | |
| Total | 11 | . | . | . | . | Total | 65 | 3.2 | 4.3 | \$10,109 | \$32 |
| 18-44 | 7 | . | . | . | . | 45-64 | 6 | . | . | . | . |
| Psychiatric | | | | | | 65+ | 57 | 18.4 | 4.4 | \$9,504 | \$174 |
| Total | 87 | 4.3 | 7.3 | \$6,317 | \$27 | Chronic Obstructive Pulmonary Disease | | | | | |
| <18 | 22 | 4.2 | 7.0 | \$6,128 | \$26 | Total | 34 | 1.7 | 4.6 | \$9,639 | \$16 |
| 18-44 | 37 | 5.0 | 5.7 | \$5,085 | \$26 | <18 | 2 | . | . | . | . |
| 45-64 | 19 | . | . | . | . | 18-44 | 4 | . | . | . | . |
| 65+ | 9 | . | . | . | . | 45-64 | 3 | . | . | . | . |
| Coronary Heart Disease | | | | | | 65+ | 25 | 8.0 | 4.8 | \$10,261 | \$83 |
| Total | 101 | 4.9 | 4.4 | \$22,470 | \$111 | Drug-Related | | | | | |
| 45-64 | 49 | 10.6 | 3.9 | \$22,382 | \$236 | Total | 2 | . | . | . | . |
| 65+ | 49 | 15.8 | 4.9 | \$22,659 | \$357 | 18-44 | 1 | . | . | . | . |
| Malignant Neoplasms (Cancers): All | | | | | | Total Hospitalizations | | | | | |
| Total | 117 | 5.7 | 6.6 | \$15,857 | \$91 | Total | 2,236 | 109.6 | 4.3 | \$10,196 | \$1,117 |
| 18-44 | 3 | . | . | . | . | <18 | 387 | 73.5 | 3.2 | \$5,383 | \$396 |
| 45-64 | 41 | 8.8 | 7.5 | \$18,839 | \$167 | 18-44 | 539 | 73.2 | 3.7 | \$7,573 | \$554 |
| 65+ | 73 | 23.5 | 5.8 | \$12,775 | \$300 | 45-64 | 446 | 96.2 | 4.9 | \$14,059 | \$1,352 |
| Neoplasms: Female Breast (rates for female population) | | | | | | 65+ | 864 | 278.2 | 4.8 | \$11,994 | \$3,336 |
| Total | 12 | . | . | . | . | ----- PREVENTABLE HOSPITALIZATIONS* ----- | | | | | |
| Neoplasms: Colo-rectal | | | | | | Total | 203 | 9.9 | 4.2 | \$8,275 | \$82 |
| Total | 16 | . | . | . | . | <18 | 22 | 4.2 | 2.3 | \$3,177 | \$13 |
| 65+ | 12 | . | . | . | . | 18-44 | 22 | 3.0 | 4.0 | \$8,211 | \$25 |
| Neoplasms: Lung | | | | | | 45-64 | 35 | 7.5 | 4.8 | \$12,058 | \$91 |
| Total | 5 | . | . | . | . | 65+ | 124 | 39.9 | 4.4 | \$8,124 | \$324 |
| Diabetes | | | | | | * Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2001 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997. | | | | | |
| Total | 22 | 1.1 | 7.7 | \$17,217 | \$19 | | | | | | |
| 65+ | 10 | . | . | . | . | | | | | | |